## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4353	(709/220-222).ccls.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:42
<b>S</b> 2	1017	\$1 and ((configur\$5 or provision\$3 or administrat\$3) near (script or file or template or setting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38
83	2	S1 and (((configuring or configuration or provision\$3) near (script or file or template)) same pluggable)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38
<b>S</b> 4	37	S1 and (((configuring or configuration or provision\$3) near (script or file or template)) with (user interface))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38
S5	193	St and (((domain or cluster or group or computer or network or system) near? (configur \$5  or administer\$3  or administrat\$3  or initializ \$5)) same (user interface) same (script or file or parameter or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38
S6	44	S5 and (java or JAR)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38

S7	756	S1 and ((configur\$5 or provision\$3) near (script or file or template))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38
S8	772	S1 and ((configur\$5 or provision\$3 or administrat\$3) near (script or file or template))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:38
S9	7	S1 and ((configurable or (plug near2 play) or pluggable) with network with deployment)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:47
S10	252	S1 and ((configurable or reconfigurable) with network)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:48
S11	109	S1 and ((configurable or reconfigurable) near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:58
S12	75	(application server) with dynamic with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 16:58
S13	120	server (farm or cluster) configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:40
S14	103	S13 and (file or script or template)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 17:50

S15	48	\$13 and (user interface) and (file or script or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/10/16 17:51
S16	43	S13 and domain	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 18:16
S17	3	((server (farm or cluster or domain)) near (construct\$3 or configur\$5)) same (file or script or template) same (user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 18:18
S18	79	application server domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/16 18:27
S19	2	(application server domain) with configuration	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	MON	2007/10/16 18:28
S20	232	(domain or area or realm) same (template or (configuration parameters)) same cluster	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 09:05
S21	31	(domain or zone or realm) and (template or (configuration parameters)) and cluster and 709/220. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	N	2007/10/17 09:20
S22	35	(domain or zone or realm) and (configuration with (template or parameter or scripts or file)) and (server near (cluster or farm)) and 709/220, ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/10/17 09:50

\$23	144	((server or service or application) near (domain or zone or realm or cluster or farm)) with ((configur \$6 or deploy\$5) near (parameter or script\$3 or file or template or base or model or map or wizard or plan))	US-POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:52
S24	9	\$23 and 709/220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17
<b>S</b> 25	324	((server or service or application) near (domain or zone or realm or cluster or farm)) same ((configur \$6 or deploy\$5) near (parameter or script\$3 or file or template or base or model or map or wizard or plan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	00 00 00 00 00 00 00 00 00 00 00 00 00	2007/10/22 09:32
S26	18	S25 and 709/220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:33
\$27	43	((server or service or application) near? (domain or zone or realm or cluster or realm or cluster or deploy\$5) near2 (parameter or script\$3 or file or template or base or model or map or wizard or plan)) and 709/220.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 12:02
\$28	13	((web or application) near server near (domain or zone or realm or cluster or farm)) same ((configur \$6 or deploy\$5) near (template or base or model or map or wizard or plan))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DOFWBNT; IBM_TDB	ADJ	OC C	2007/10/17 12:06

\$29	13	(((web or application) near server) near3 (domain or zone or realm or cluster or farm)) same ((contigur \$6 or deploy\$5) near (template or base or model or map or wizard or plan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/10/17 16:13
S30	421	(((server or service or application) near (domain or zone or realm or cluster or farm)) same ((configur \$6 or deploy\$5) near (tool\$2 or interface\$2 or gui or software or application\$2 or template or wizard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	00 00 00 00 00 00 00 00 00 00 00 00 00	2007/10/17 16:53
S31	23	S30 and 709/220.cds.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:35
S32	53	S30 and ("715" or "717").clas.	US PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 16:20
S33	211	S30 and "709".clas.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 16:20
S34	373	((server or application) near (domain or realm or cluster or farm)) same ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or gui or software or application \$2 or template or wizard))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	O.	2007/10/17 16:56
S35	192	S34 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17

S36	49	\$34 and ("717" or "715").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/10/17 16:56
S37	60	((application server) near (domain or realm or cluster or farm)) same ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or gui or software or application \$2 or template or wizard))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:17
S38	42	((application server) near (domain or realm or cluster or farm)) with ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or (user interface) or software or application\$2 or template or wizard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:17
S39	42	S37 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:17
S40	80	((application near (server or cluster)) near (domain or realm or cluster or farm)) same ((configur§6 or deploy§5) near (tool§2 or interface\$2 or gui or software or application \$2 or template or wizard))	US PCPUB; USPAT; USOCR; FPHS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17
S41	1606	(application near (server or cluster)) with ((configur\$6 or deploy \$5) near (tool\$2 or interface\$2 or gui or software or application \$2 or template or wizard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17

S42	1333	(application near (server or cluster)) near6 ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or gui or software or application \$2 or template or wizard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:21
S43	1196	(application near (server or cluster)) near3 ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or gui or software or application \$2 or template or wizard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OX	2007/10/17 17:22
S44	950	(application near (server or cluster)) near ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or gui or software or application \$2 or template or wizard))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:02
<b>S</b> 45	82	(application near (server or cluster)) near ((configur\$6 or deploy\$5) near (tool\$2 or interface\$2 or (user interface) or software or template or wizard))	US-PCIPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:23
S46	41	(US-20060041643-\$ or US-20060080412-\$ or US-20060080412-\$ or US-20060080412-\$ or US-2005017628-\$ or US-20020176239-\$ or US-20020116477-\$ or US-2005006016-\$ or US-20050066016-\$ or US-20050066016-\$ or US-2005006016-\$ or US-2005006016-\$ or US-2005006016-\$ or US-2005006016-\$ or US-2005006016-\$ or US-20050019203-\$ or US-20050019203-\$ or US-20050010926-\$ or US-200500109	US POPUB; USPAT; DERWENT	ADJ	ON	2007/10/17

		6871221-\$ or US 6772204-\$ or US 77093005-\$ or US 6615276-\$ or US 6615276-\$ or US 5819042-\$ or US 5819042-\$ or US 5819042-\$ or US 7103874-\$ or US 678573-\$ or US 678573-\$ or US 6785726-\$ or US 6785726-\$ or US 6785726-\$ or US 6785112-\$ or US 67859538-\$ or US 6789112-\$ or US 67895535-\$ or US 6789155-\$ or US 67895535-\$ or US 6789165-\$ or US 67895535-\$ or US 6789165-\$ or US 6789165-\$ or US				
S47	16	S46 and template	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/17 17:51
S48	4	S46 and Pham	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:01
S49	2	S46 and Websphere	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:01
S50	85	S44 and websphere	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:02
S51	15	S50 and template	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:02
S52	165	((application server) or cluster) near deployment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 08:53

S53	71	S52 and ("709" or "370" or "715" or "717").clas.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 09:11
S54	24	(configuration near (template or wizard)) with deployment	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 10:17
S55	6	Narayanaswamy near Sreedhara	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 09:29
S56	8	("5845090"   "5860012"   "6064813"   "6362836"   "6574617"   "6578142"   "6618820").FN. OR ("6901590").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/10/18
S57	17	quang pham	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/10/18 10:16
<b>S</b> 58	7	(configuration near (template or wizard)) same interface same deployment	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 10:18
<b>S</b> 59	68	(configuration near (template or wizard or interface)) same deployment	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 10:19
S60	24	adaytum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 11:05
S61	16	terraspring	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 11:05

S62	2	"7093005".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 13:19
S63	2	"6779016".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:35
864	62	(US-20060041643-\$ or US-20060080412-\$ or US-20060080412-\$ or US-20050068293-\$ or US-20050177628-\$ or US-2005017628-\$ or US-20050166016-\$ or US-20050076386-\$ or US-20050066016-\$ or US-20050066016-\$ or US-2005006016-\$ or US-20050060172145-\$ or US-20030172145-\$ or US-20030172165-\$ or US-20030172165-\$ or US-20030172165-\$ or US-20030172165-\$ or US-20030172165-\$ or US-7103005-\$	US-PGPUB; USPAT; DEFIWENT	ADJ	ON	2007/10/18 15:14

		7281045-\$ or U\$- 7069553-\$ or U\$- 6725261-\$ or U\$- 6801937-\$ or U\$- 6801937-\$ or U\$- 6807957-\$).did. or (U\$- 6807557-\$).did. or (U\$- 69073473-\$ or U\$- 7072822-\$ or U\$- 7073126-\$ or U\$- 7136127-\$ or U\$- 7136127-\$ or U\$- 7136122-\$ or U\$- 7136122-\$ or U\$- 7136122-\$ or U\$- 7043539-\$).did. or (U\$- 20050268238-\$ or W0- 200198889-\$ or U\$- 7043539-\$).did. or (U\$-				
S65	8	S64 and (message (service or server))	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/18 15:23
<b>S</b> 66	14	S64 and (JAR)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/18 15:23
S67	40	S64 and component and deployment	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:51
S68	20	S64 and (component with deployment)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:26
S69	12	S64 and (administra\$5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:38

S70	425	(((server or service or application)) near (domain or zone or realm or cluster or farm)) same ((contigur \$6 or deploy\$5) near ((tool\$2 or interface\$2 or gui or software or application\$2 or template or wizard))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEO; DEM_TIDB	ADJ	000	2007/10/18
S71	62	S70 and (administra\$5 server)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:42
S72	50	S71 and ("709" or "370" or "715" or "717").clas.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:41
S73	264	S70 and ((deploy\$4) or (deployment server))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:41
S74	180	S73 and ("709" or "370" or "715" or "717").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:41
S75	40	S74 and (administra\$5 server)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:42
S76	16	terraspring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/10/18 17:43

377	64	(US-20060041643-\$ or	US-PGPUB;	ADJ	ON	2007/10/19
	1	US-20060080412-\$ or	USPAT;			13:41
		US-20050268238-\$ or	DERWENT		1	
		US-20050177628-\$ or				
		US-20020178239-\$ or				
		US-20020116477-\$ or				
		US-20060168152-\$ or				
		US-20050076386-\$ or				
		US-20050066016-\$ or				
		US-20030023707-\$ or				
		US-20030172145-\$ or				
		US-20030192031-\$ or				
		US-20050262495-\$ or				
	i .	US-20040078495-\$ or				
		US-20050010926-\$ or				
		US-20060242626-\$ or				
		US-20040210884-\$ or				
		US-20060047798-\$ or				***
		US-20070028234-\$ or				
		US-20070028234-\$ 01 US-20030220967-\$ or				
		US-20030225851-\$).		•		
		did. or (US-7103647-\$				
						***
		or US-6691165-\$ or US-				
		7111007-\$ or US-				
		6768995-\$ or US-		1		
	•	7254624-\$ or US-		1		
		6871221-\$ or US-				
		6772204-\$ or US-				
		7093005-\$ or US-		1		
		6615276-\$ or US-		ì		
	1	7206824-\$ or US-				
		5819042-\$ or US-		į.		***
		7103874-\$ or US-				
		6845503-\$ or US-				
		7206817-\$ or US-				
		7228326-\$ or US-				
		6785713-\$ or US-				
		6785726-\$ or US-				
		6789112-\$ or US-				***
		6996588-\$ or US-				
		7050961-\$ or US-				
		7047177-\$ or US-				***
		7281045-\$ or US-				
		7069553-\$ or US-				
		6725261-\$ or US-				
		6801937-\$ or US-				
		6807557-\$).did. or (US-				
		6847993-\$ or US-				
		6901590-\$ or US-				
	-	6973473-\$ or US-			-	
	i	7072822-\$ or US-			4	
		7073126-\$ or US-				
	i	7185076-\$ or US-				
	-	7069271-\$ or US-				
		7134122-\$ or US-	į.	***	-	

	***************************************	6597956-\$ or US- 7043539-\$ or US- 6859834-\$ or US- 6879995-\$).did. or (US- 20050268238-\$ or WO- 200198889-\$ or US- 20020032941-\$ or WO- 200203293-\$ or US- 7043539-\$).did.		***************************************	- понименний полительной полительной полительной полительной полительной полительной полительной полительной п	
S78	3	S77 and template and JAR	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:43
S79	0	(configuration template) near2 jar	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:44
S80	0	(configuration template) with jar	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:44
S81	42	template with jar	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:44
S82	5	template near3 jar	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:45
<b>S8</b> 3	5	template near3 (jar or (java archive))	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:46
S84	6	template near4 (jar or (java archive))	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:46
S85	8	template near5 (jar or (java archive))	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:47
<b>S8</b> 6	43	template with (jar or (java archive))	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/10/19 13:47
S87	324	(((server or service or application) near (domain or zone or realm or cluster or farm)) same ((configur \$6 or deploy\$5) near (parameter or script\$3 or file or template or base or model or map or wizard or plan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OC	2007/10/22 09:32

S88	144	((server or service or application) near (domain or zone or realm or cluster or farm)) with ((configur \$6 or deploy\$5) near (parameter or script\$3 or file or template or base or model or map or wizard or plan))	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:33
S89	9	S88 and 709/220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:33
S90	18	S87 and 709/220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:33
S91	425	(((server or service or application) near (domain or zone or realm or cluster or farm)) same ((configur \$6 or deploy\$5) near ((tool\$2 or interlace\$2 or gui or software or application\$2 or template or wizard))	US-PCPUB; USPAT; USOCR; IFPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:35
S92	24	S91 and 709/220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:35
S93	24	(configuration near (template or wizard)) with deployment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/22 09:37
S94	1	09/502170.app.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:19

S97	19	((grid computing) or (server farm)) with (application (deployment or delivery))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OS	2008/01/04 13:11
S98	8	((grid computing) or (server farm)) with (dynamic\$4 with application with (updat \$3 or load\$3))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/01/04 13:20
S99	22	((grid computing) or (server farm)) with (dynamic\$4 with application with distribut\$3)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	00 00 00 00 00 00 00 00 00 00 00 00 00	2008/01/04 13:27
S100	66	(US-20020116477-\$ or US-2006168152-\$ or US-20050066016-\$ or US-20050066016-\$ or US-20050066016-\$ or US-20050066016-\$ or US-20050060016-\$ or US-20030023707-\$ or US-20030023707-\$ or US-20030023707-\$ or US-20030172145-\$ or US-200500268238-\$ or US-20050017928-\$ or US-20050017928-\$ or US-200500262495-\$ or US-20050074945-\$ or US-20030129031-\$ or US-20030129031-\$ or US-20030220967-\$ or US-20030129031-\$ or US-20030220967-\$ or US-20030129031-\$ or US-2003022031-\$ or US-2003022031-\$ or US-2003022031-\$ or US-2003022031-\$ or US-2003022031-\$ or US-2003022031-\$ or US-20030231-\$ or US-2003023231-\$ or US-2003023231-\$ or US-2003023231-\$ or US-2003023231-\$ or US-2003023231-\$ or US-200303231-\$ or US-200303231-\$ or US-200303231-\$ or US-200303231-\$ or US-200303231-\$ or US-200303231-\$ or US-20030305-\$ or US-2003005-\$ or US-20	US-PATI USPAT; USPAT; DERWENT	ADJ	ON	2008/01/04

		6996588-\$ or US- 6768995-\$ or US- 6615276-\$ or US- 6615276-\$ or US- 6859895-\$ or US- 6859895-\$ or US- 6859893-\$ or US- 6785712-\$ or US- 6785713-\$ or US- 6845503-\$ or US- 70068271-\$ or US- 6801937-\$ or US- 70432539-\$ or US- 7043726-\$ or US- 6874733-\$ or US- 67737126-\$ or US- 687473-\$ or US- 6714980-\$ or US- 6714				
S101	28	S100 and customiz\$5	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/01/04 14:00
S102	22	S100 and (customiz\$5 same (application or software))	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/01/04 14:00

<sup>1/4/2008 4:29:56</sup> PM

C:\Documents and Settings\szhang\My Documents\Critical Data\My Dockets\10780497\10780497.wsp